

OFFICITY[®]

business space

LIBRERIA



Specification sheet

LIBRERIA

Carcass

The carcass (sides and shelves) is 38mm thick matt, scratch resistant, non-reflective and washable melamine particleboard (Mfc); the edge is anti-shock 2mm thick ABS matching. The back is 18mm thick matt, scratch resistant, non-reflective and washable melamine particleboard (Mfc) with 2mm thick anti-shock ABS matching edge on 4 sides. The shells are finished on both sides (back and front) so that you can use the bookshelf on both sides. You can have open shelves or as well you can add doors. You have to put at least one back mm 86cm W or two backs mm 43cm W per each configuration in order to give stability. Shelves have metal hidden supports and they can be positioned/adjusted in height each 32mm. The back is 18mm thick matt, scratch resistant, non-reflective and washable melamine particleboard (Mfc) with 2mm thick anti-shock ABS matching edge on 4 sides. The carcass has levelling feet and an anodized aluminium profile.

Doors

- **melamine:** 18mm thick matt, scratch resistant, non-reflective and washable melamine particleboard (Mfc), anti-shock 1,5mm thick ABS edge. Hinges in anti-corrosion treated metal, allowing independent adjustable door alignment in three directions and 95° door opening. Lockable doors are equipped with 2 folding keys. Soft-closing system available as an option.

- **lacquered:** 18mm thick matt, scratch resistant, non-reflective and washable melamine particleboard (Mfc) lacquered matt finish, anti-shock 1,5mm thick ABS edge. Hinges in anti-corrosion treated metal, allowing independent adjustable door alignment in three directions and 95° door opening. Lockable doors are equipped with 2 folding keys. Soft-closing system available as an option.

- **leather:** 18mm thick particleboard leather upholstered. Hinges in anti-corrosion treated metal, allowing independent adjustable door alignment in three directions and 95° door opening. Lockable doors are equipped with 2 folding keys. Soft-closing system available as an option.

- **framed frosted glass:** 4mm thick tempered frosted glass with anodized aluminium frame, available with or without lock; hinges in anti-corrosion treated metal, allowing independent adjustable door alignment in three directions and 95° door opening. Soft-closing system available as an option.

Ladder

The metal ladder is in tubular steel epoxy painted and equipped with ABS caps. A special shelf with metal rail connects the ladder to the bookcase.

Door handles (melamine, lacquered and leather)

Standard ABS handle

Look




Optional metal handle +pts 5 each

Pop



Zen





Structures


ME - Melamine

BA - WHITE

OL - ELM

NO - CANALETTO WALNUT

WE - WENGÉ



Doors

ME - Melamine



OL - ELM NO - CANALETTO WALNUT

BA - WHITE

GR - GREY

WE - WENGÉ

RR - OAK



L - Matt lacquered

PRODUCTION LEAD TIME: 5 WEEKS; STANDARD LACQUERED FINISHES, ANY RAL COLOR AVAILABLE ON DEMAND

LT - BEIGE GREY
RAL7006

LL - GREY WHITE
RAL9002

LS - SILK GREY
RAL7044

LA - ORANGE
RAL2000


LB - WHITE
RAL9003

LE - BEIGE
RAL1019

LO - SHADOW GREY
RAL7022

LG - GREY
RAL7004

LV - GREEN
RAL6013



LH - FLAME RED
RAL 3000

LX - GOLDEN
YELLOW
RAL1004

LM - GREY BROWN
RAL8019

LR - PURPLE RED
RAL3004



LF - TELEGREY 4
RAL7047

LC - PIGEON BLUE
RAL5014

LY - VIOLET BLUE
RAL5000

LZ - SAPPHIRE BLUE
RAL5003

LN - TRAFFIC BLACK
RAL9017



CU - Leather


***PRODUCTION LEAD TIME: 5 WEEKS**

CRS - RED

CMA - BROWN

CGA - ANTHRACITE

CNE - BLACK



Framed glass doors


Glass

Frame

V3 - FROSTED

L - POLISHED CHROME

A - SILVER




Ladder, rail and profile

M - Metal

A - SILVER RAL 9006


I - GLOSSY WHITE RAL 9016

R - SHADOW GREY RAL 7022



Technical features

LIBRERIA DIMENSIONAL SCHEME



With H. 256cm configurations H. 128cm doors are not stackable

